



# General Authority of Civil Aviation

Syrian Arab Republic — Electronic Aeronautical Information Publication

## AD 2.4

AD

CATEGORY	EFFECTIVE DATE	AMENDMENT	STATUS
AD	27 Mar 2026	AMDT 01/2026	Published

## OSDZ — Deir ez-Zor Airport

روزلا ريڊ راطم — OSDZ

### OSDZ AD 2.1 AERODROME LOCATION INDICATOR AND NAME

#### OSDZ Deir ez-Zor Domestic Airport

### OSDZ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP COORDINATES AND SITE AT AD	N351707,735770 E401033,885607 SITE:IN THE MIDDLE OF THE RWY
2	Direction and distance from (city)	7NM East of Deir-Zoor City
3	Elevation/Reference temperature	700FT(213M) 43°C

4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	4° DEG E
6	AD Administration, address, telephone, telefax, telex, AFS, Email, website	DEIR-ZOOR AIRPORT- DEIR-ZOOR - SYRIA  AP DIRECT.TEL-00963-51-363086  AP TWR TEL 00963-51-361901  FAX:-00963-51-350427/TWR 376004
7	Types of traffic permitted (IFR/VFR)	IFR/ VFR  VFR BELOW FL150
8	Remarks	-

### OSDZ AD 2.3 OPERATIONAL HOURS

1	AD ADMINISTRATION	08:00 AM-15:30 LOCAL
2	Customs and immigration	Available 24H
3	Health and sanitation	08;00-15:30 LOCAL
4	AIS Briefing Office	NIL

5	ATS Reporting Office (ARO)	NIL
6	MET Briefing Office	24H
7	ATS	Sunrise - Sunset
8	Fuelling	NIL
9	Handling	08:00 am-15:30 local
10	Security	24H
11	De-icing	Special procedurs
12	Remarks	NIL

### **OSDZ AD 2.4 HANDLING SERVICES AND FACILITIES**

1	CARGO-HANDLING FACILITIES	SYRIAN ARAB AIRLINES FACILITIES 08:00-15:30 MANUAL
2	Fuel/oil types	Turbujet fuelA1,OIL Grandes ,NON
3	Fueling facilities /capacity	a-2units each 60000DL, pumping 4000L/MIN b-2units each 85000L, pumping 4000L/MIN
4	De-icing facilities	SPECIAL PROCEDURES
5	Hangar space for visiting aircraft	B707 OR SIMILAR AIRCRAFT-PARTIAL: B747

6	Repair facilities for visiting aircraft	Normal maintenance for B727, TU134,TU154 and minor repairs for other types
7	Remarks	NIL

### **OSDZ AD 2.5 PASSENGER FACILITIES**

<b>1</b>	<b>HOTELS</b>	<b>CITY HOTELS -AIRPORT HOTELS</b>
2	Resturants	Limited at the airport, unlimited in the city
3	Transpotion	Taxies and buses
4	Midecal facilities	First Aid.Two Ambulances and Hospitals in the city
5	Bank and post office	Available
6	Tourist office	Available
7	Remarks	NIL

### **OSDZ AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

<b>1</b>	<b>AD CATEGORY FOR FIREFIGHTING</b>	<b>CAT 9</b>
2	Rescue equipment	Adequate rescue and firefighting vehicles, equipment, and personnel provided.
3	Capability for the removal of disabled aircraft	Syrian Arab Airlines Facilities
4	Remarks	NIL

### **OSDZ AD 2.7 SEASONAL AVAILABILITY – CLEARING**

1	TYPES OF CLEARING EQUIPMENT	BY TRACKS AND SALT
2	Clearance priorities	RWY, TWY, and Apron
3	Remarks	NIL

### OSDZ AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	APRON SURFACE AND STRENGTH	CONCRETE: A, B, C, D, S, PCN 80 R/C/W/T G, H, F, E, PCN 85R/C/W/T
2	Taxiway width, surface, and strength	22.5M, CONCRETE, PCN 80R/C/W/T
3	ACL location and elevation	APRON 1- 35 17 12.981092N 40 11 12.175378E APRON 2- 35 17 11.390468N 40 11 11.466750E
4	VOR/INS ,Check points	SEE AD CHARTS
5	Remarks	NIL

### OSDZ AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	TAXIING GUIDANCE SYSTEM	TAXIWAY 1: 35 17 11.640800N 40 10 23.482681E TAXIWAY 2: 35 16 58.758185N 40 11 07.148713E TAXIWAY 3: 35 17 15.556287N 40 10 24.027391E TAXIWAY 4: 35 17 15.033410N 40 10 25.794820E TAXIWAY 5: 35 17 02.528090N 40 11 08.079089E TAXIWAY 6: 35 17 02.019041N 40 11 09.792269E
---	----------------------------	--

2	Marking Aids	Threshold, touchdown, and center line for both RWYS. threshold, center line for other runways: Taxi holding positions, taxiway center line all taxiway, Altimeter check point (ACL) and check point, RWY designators.
---	--------------	---

### OSDZ AD 2.10 AERODROME OBSTACLES

In the approach/TKOF areas			In the circling area and at AD		Remarks															
1			2		3															
<table border="1"> <thead> <tr> <th>RWY/Area affected</th> <th>Obstacle type Elevation Markings/LGT</th> <th>Coordinates</th> </tr> <tr> <th>a</th> <th>b</th> <th>c</th> </tr> </thead> <tbody> <tr> <td>NIL</td> <td>NIL</td> <td>NIL</td> </tr> </tbody> </table>			RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	a	b	c	NIL	NIL	NIL	<table border="1"> <thead> <tr> <th>Obstacle type Elevation Markings/LGT</th> <th>Coordinates</th> </tr> <tr> <th>a</th> <th>b</th> </tr> </thead> <tbody> <tr> <td>NIL</td> <td>NIL</td> </tr> </tbody> </table>		Obstacle type Elevation Markings/LGT	Coordinates	a	b	NIL	NIL	NIL
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates																		
a	b	c																		
NIL	NIL	NIL																		
Obstacle type Elevation Markings/LGT	Coordinates																			
a	b																			
NIL	NIL																			

### OSDZ AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	ASSOCIATED MET OFFICE	DAMASCUS
2	Hours of service MET office outside hours	24 H
3	The office responsible for the TAF preparation periods of issuance	Damascus every 6 Hours
4	Type of landing forecast interval of issuance	ATIS
5	Briefing consultation provided	Personal consultation

6	Flight documentation language (s)used	Charts abbreviated in language -English
7	Charts and other information are available for briefing or consultation.	S, U85,U70,U50,U20,P85,P70,P30,P25,P20  SIG CHART
8	Supplementary equipment is available for providing information	Self -briefing terminal
9	ATS units provided with information	Damascus TWR, ACC, AIS
10	Additional information	NIL

### **OSDZ AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

<b>DESIGNATIONS RWY NR</b>	<b>TRUE BRG</b>	<b>DIMENSIONS OF RWY (M), THE</b>	<b>STRENGTH (PCN), AND SURFACE OF RWY AND SWY</b>	<b>THR COORDINATES RWY END COORDINATE THR GEOID UNDULATION</b>	<b>THR ELEVATION, AND HIGHEST ELEVATION OF TDZ OF PRECISION APP RWY</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>
10	010	3000X40	50 /F/B/Y/T	351724.138154N  400938.299963E	700m /2296ft

DESIGNATIONS RWY NR	TRUE BRG	DIMENSIONS OF RWY (M), THE	STRENGTH (PCN), AND SURFACE OF RWY AND SWY	THR COORDINATES RWY END COORDINATE THR GEOID UNDULATION	THR ELEVATION, AND HIGHEST ELEVATION OF TDZ OF PRECISION APP RWY
1	2	3	4	5	6
28	280	3000 X 40	50 /F/B/Y/T	351651.304661N 401129.483492E	669m /2195ft

DESIGNATIONS RWY NR	SLOPE OF RWY- SWY	SWY DIMENSIONS (M)	CWY DIMENSIONS (M)	STRIP DIMENSIONS (M)	DIMENSIONS OF RUNWAY END SAFETY AREAS
1	7	8	9	10	11
10	NIL	60x40	NIL	3000X300	NIL
28	NIL	60x40	NIL	3000X300	NIL

DESIGNATIONS RWY NR	LOCATION AND DESCRIPTION OF ENGINEERING MATERIAL ARRESTING SYSTEM(EMAS)	OFZ	REMARK
1	12	13	14
10	NIL	NIL	NIL.

28	NIL	NIL	NIL
----	-----	-----	-----

### OSDZ AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
10	3000	3000	3000	3000	NIL
28	3000	3000	3000	3000	NIL

### OSDZ AD 2.14 APPROACH AND RUNWAY LIGHTING

1	RWY NUMBER	10	28
2	Approach LGT	Precision App. light CAT.II	Simple Approach H.I.
3	THR LGT	Precision App. light CAT.II.	Green LGT H.I
4	PAPI	4UNITS, left side 467M from the beginning of RWY	4 Units, left side 435M from the beginning of RWY
5	TDZ	White LGT	NONE
6	Center line	White LGT	with LGT
7	Edge LGT	White LGT .HI	White LGT .HI
8	RWY and LGT	Red LGT H.I	Red LGT H.I
9	STOP WAY LGT	NONE	NONE

10	Apron flood light	30M height white	NIL
----	-------------------	------------------	-----

### **OSDZ AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN /IBN LOCATION, CHARACTERISTICS, AND HOURS OF OPERATION	NIL
2	WDI	NIL
3	LDI location and light	NIL
4	TWY edge lights	Blue
5	Emergency lighting power supply	UPS RWY 10/ 28

### **OSDZ AD 2.16 HELICOPTER LANDING AREA**

**See Page AD 2-39**

### **OSDZ AD 2.17 ATS AIRSPACE**

1	Designation and lateral limits	REF ENR 2.1-1
2	Vertical limits	REF ENR 2.1-1
3	Airspace classification	Class A all control airspace at and above FL 150 Class B all control airspace below FL 150
4	ATS unit call sign Language(s)	DEIR ZOOR Tower English
5	Transition ALT.	ALT 13000ft
6	Remarks	NIL

### **OSDZ AD 2.18 ATS COMMUNICATION FACILITIES**

SERVICE	CALLSIGN	FREQUENCY	HOURS
TWR	Deir ez-Zor Tower	118.075 MHz	-
ACC	Damascus Control	121.300 MHz	H24
EMERG	—	121.500 MHz	H24

### OSDZ AD 2.19 RADIO NAVIGATION AND LANDING AIDS

**Remarks:** Domestic airport. Limited international services available by prior arrangement. Operating hours: HJ (sunrise to sunset). Customs/immigration by prior arrangement only.

Type of aid,	ID	Frequency	Hours of operation	Site of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
DVOR/ DME	DRZ	117.00MHZ CH92X	24H	35 17 31.0 N 40 09 13.6E	620M (2033 ft)	NIL
NDB	DRZ	295KHZ	24H	35 17 21.161N 40 11 14.712827E	NIL	NIL

### OSDZ AD 2.20 LOCAL AERODROME REGULATIONS

#### 20.1 AIRPORT REGULATIONS

**NIL**

## **20.2 TAXIING TO AND FROM STANDS**

NIL

## **20.3 PARKING AREA FOR SMALL AIRCRAFT (GENERAL AVIATION)**

NIL

## **20.4 PARKING AREA FOR HELICOPTERS**

NIL

## **0.6 TAXIING LIMITATIONS**

NIL

## **20.7 SCHOOL AND TRAINING FLIGHTS - TECHNICAL TEST FLIGHTS - USE OF RUNWAYS**

NIL

## **20.8 HELICOPTER TRAFFIC - LIMITATION**

NIL

## **20.9 REMOVAL OF DISABLED AIRCRAFT FROM RUNWAYS**

NIL

## **OSDZ AD 2.21 NOISE ABATEMENT PROCEDURES**

NIL

## **OSDZ AD 2.22 FLIGHT PROCEDURES**

Standard IFR procedures not published — operations by VFR or special IFR clearance from Damascus ACC. Contact Damascus ACC for current approach/departure procedures. Circling approaches may be available on request.

## **STANDARD INSTRUMENT ARRIVAL**

### **DEIR ZZOR AIR PORT (OSDZ)**

ALL VFR/IFR traffic bound to DEIR ZZOR Airport shall report DRZ/NDB at an altitude of 3000ft or above before joining the traffic circuit.

### **OSDZ AD 2.23 ADDITIONAL INFORMATION**

NIL

### **OSDZ AD 2.24 CHARTS RELATED TO AN AERODROME**

NIL

### **OSDZ AD 2.25 Visual segment surface (VSS) penetration**

NIL

## Amendment History

AMENDMENT NO.	CHANGE SUMMARY	EFFECTIVE DATE
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026

AMENDMENT NO.	CHANGE SUMMARY	EFFECTIVE DATE
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026
AMDT 01/2026	Content updated	27 Mar 2026

This document is published by the Syrian General Authority of Civil Aviation for aeronautical information purposes. Verify the current effective date before operational use. Consult active NOTAMs for supplements and temporary amendments.

#### DIGITAL VERIFICATION CERTIFICATE

This document was digitally signed by the GACA eAIP System.  
To verify authenticity, visit the URL below or scan the verification code.

**GACA-SECTION-AD 2.4-20260605-234646-  
67808470F0FFF385**

Generated: 2026-06-05T23:46:46 | Type: SECTION

HMAC-SHA256 SECURED | GENERAL CIVIL AVIATION AUTHORITY (GACA) | SYRIAN ARAB REPUBLIC

VERIFY AT

<https://www.eaip.gaca.gov.sy/verify>

**AUTHENTICATED**